

DATALIFT E MAX IXOLIFT®

Heavy Duty Lift for Data Center Servers

Ensure the safety of your team to handle extra heavy loads

This versatile server equipment lifter provides your team with effortless racking of IT equipment for migrations and every day use. The DataLift helps to prevent human injury and damage to expensive IT equipment, reducing downtime that can occur as a result of accidents.

The heavy duty **DataLift E MAX** is designed to easily lift, move and install servers and IT equipment anywhere in the data center with an operating height of up to 1.5 m with a center load capacity of **500 kg (1100 pounds)** with an overall lifting height of 2.4 m up to 250 kg.

Compliant with European and international safety standards

This server equipment lifter is designed and manufactured in Finland to **ISO 9001** and **ISO 14001** standards for excellence in quality and environmental management systems.

✓ Certified for Safety & Compliance

Built to uphold the highest safety benchmarks, the lifter complies with both European and international regulations, including:

- **Directive 2006/42/EC** (Machinery Directive)
- **EN ISO 3691-5:2020 11** (Industrial trucks – Safety requirements for manually operated trucks)
- **EN ISO 12100:2010** (General principles for design – Risk assessment and risk reduction)



MAINTENANCE-FREE

Our DataLifts have an innovative design using oil-free gearboxes – ensuring cleaner, safer, and more efficient operations – especially critical in sensitive environments like data centers. There is no risk of oil spills.

INTUITIVE TO USE

The dual mast design allows for viewing through the lift whilst moving it, helping to avoid collisions. The side loading capabilities allow the operator to flexibly work from the left- or the right-hand side of the unit. The remote control allows platform movement regardless of the operator's position.

COMPACT SIZE

The DataLift fits easily into tight spaces, through doorways and narrow cabinet row aisles. A single operator can operate and navigate the load and rotate on its own axis providing exact manoeuvrability for effective installations.



All mandatory safety features



HIGHLIGHTS

Large platform for lifting extra heavy server equipment

Platform table slides 175 mm to either side for side loading

Maximum height of: 2.40 m with 250 kg, 1.50 m with 500 kg

Remote control enables operator to see the load from both sides of platform

Emergency stop button easily accessible on the control panel

Lever on control panel locks and releases front wheels for accurate navigation

Insulated safety stop for overhead obstacles

Wide break bar allows for easy activation even when wearing large safety boots

Eco-friendly, maintenance-free gear box

Non-marking polyurethane wheels on floor

Designed and manufactured in Finland

IXOLIFT®



Wide brake lever



Emergency stop button



Remote control



Precision table



Clear forward view while moving

TECHINICAL SPECIFICATIONS

Center load capacity

Lifting height

Minimum platform height

Platform size

Brake lever width

Weight (unloaded)

System voltage

Lifting cycles

Input voltage for charger

CE marking

500 kg (1100 lbs)

2.40 m

0.135 m

0.61 x 0.42 m

0.36 m

285 kg

24 V

120 full cycles with 150 kg, 80 cycles with 500 kg

180-265 VAC, 45-65 Hz

EN ISO 3691-5:2020 11, EN ISO 12100:2010

Understanding IXOLIFT's Range

Models	DataLift M	DataLift F Pro	DataLift E Pro	DataLift E Max
Maximum center load	175 kg / 385 lbs	200 kg / 440 lbs	250 kg / 550 lbs	500 kg / 1100 lbs
Lifting height: up to 52 U				
Frequent lifting				
Installing units deeper within the rack				
No charging required				
Fits through standard doors & elevators				
Lithium battery option (LIB)				



**Our mission is to save lives, prevent injuries from low heights,
and improve productivity by reducing time away from work.**

IXOLIFT's data center products are designed to ensure safety in data center operations and enhanced work efficiency for transportation, installations and removal of heavy server and IT equipment.

Safety doesn't just come first
Safety is IXOLIFT's mission
**We strive in everything we do to create
safer, better working conditions for
people working at low heights.**

Designed and manufactured by
IXOLIFT LTD | Kalkkimäentie 2 | FI-03100 Nummela | Finland
www.ixolift.com | +358 20 741 5010

Subject to change without notice. V102.2025